

German University in Cairo
Media Engineering and Technology
Prof. Dr. Slim Abdennadher
Dr. Mohammed Abdel Megeed

Introduction to Computer Programming, Spring Term 2018
Practice Assignment 4

Discussion: 3.3.2018 - 15.3.2018

Exercise 4-1 ATM
To be discussed in the tutorials

Write a program that asks a user to enter his/her pincode to the ATM machine. The pincode is generated randomly once and user is notified with this pincode. The ATM machine then asks the user to enter the pincode and the user has maximum 3 trials to enter. After that, a corresponding message should be shown to the user.

The output should be something like:

```
Please enter your pincode
5643
```

```
Please enter your pincode
5645
```

```
Please enter your pincode
5465
```

```
You exceeded your trials. We will lock your account!
```

Exercise 4-2 Adder
To be discussed in the tutorials

Write a program that adds up integers that the user enters. First the program asks how many numbers will be added up. Then the program prompts the user for each number. Finally, it prints the sum.

The output should be something like:

```
How many integers will be added:
5
Enter integer 1:
3
Enter integer 2:
4
Enter integer 3:
-4
Enter integer 4:
-3
Enter integer 5:
7
```

```
The sum is 7
```

Exercise 4-3 Euclidean Algorithm
To be discussed in the tutorials

The Euclidean algorithm determines the greatest common divisor (GCD) of two positive numbers by repeatedly replacing the larger number with the result of subtracting the smaller one from it until the two numbers are equal.

Write a Java program for Euclidean algorithm where the user has to enter the two numbers and the program should calculate their greatest common divisor. The output should be something like:

```
Please, enter a first number:
45
Please, enter a second number:
22
The GCD of 45 and 22 is 1
```

Exercise 4-4 Caesar Cipher
To be discussed in the tutorials

Write a Java program which takes two input variables `message` of data type `String` and `key` of data type `int`. The program should shift each character in `message` with a distance of `key`. For example: if `key=3` then `a` will be replaced by `d` and `b` will be replaced by `e` and so on.

Hint: You can use the following method

- `charAt(int index)`: Returns the character at the specified index. The first character of the sequence is at index 0, the next at index 1 and so on.

```
String s = "Hello";
char c = s.charAt(0);
```

The value of `c` is `'H'`.

The output should be something like this:

```
Please enter the Message:
Hat
Please Enter the Key:
3
The encrypted word is:
Kdw
```

Exercise 4-5 String Manipulation
To be discussed in the labs

Write a program that determines the number of consonants, vowels, punctuation characters, and spaces in an input line. Read in the line into a `String` (in the usual way). Now use the `charAt()` method in a loop to access the characters one by one. Use a switch statement to increment the appropriate variables based on the current character. After processing the line, print out the results.

Exercise 4-6 Fixed Length

Write a program that asks the user to enter two words. The program then prints out both words on one line. The words will be separated by enough dots so that the total line length is 30. We can use it to make an index for a book. The user enters the name of the chapters/sections and the page number and the program generate the index. You can only print one dot at a time.

```
Enter first word:
Chapter 5
Enter second word:
153
```

```
Chapter 5.....153
```

Exercise 4-7 Stream of Numbers

Write a Java program to read a list of nonnegative integers and outputs the maximum integer, the minimum integer, and the average of all the integers. The end of the input is indicated by the user entering a negative number. Note that the negative number is not used in finding the maximum, minimum, or average. The output should be something like this:

```
Please enter a sequence of positive numbers
2
3
5
4
-1
The maximum number is : 5
The minimum number is: 2
The average is: 3.5
```

Use in one program a while loop and in another program a do while loop.

Exercise 4-8 Triangle N
To be discussed in the labs

Write a Java program to construct a triangle shape of numbers given that n is an input from the user. For example if n=6, the shape should look like the following:

```
1
12
123
1234
12345
123456
```

Solve using a single loop only.

Exercise 4-9 Pyramid
To be discussed in the labs

Construct the following pyramid of numbers given that n is an odd input from the user. For example if n=9, the pyramid should look like the following:

```
1
123
12345
1234567
123456789
```

Exercise 4-10 Word Count

Write a program that reads a sentence and a word from the user and finds the number of occurrences of the given word in the sentence. For example, the following could be a run of your program

```
Enter the sentence:
the students are enjoying life at the GUC
Enter the word:
the
The sentence is "the students are enjoying life at the GUC".
The word "the" occurs two times in the sentence
```

Exercise 4-11 Number of Digits

Write a Java program that reads from the user positive integers and count the number of digits in them. The program should keep asking the user for entering integers until he/she enters -1. The output should be something like this:

```
Please enter a number
524
Number of digits in 524 = 3
Please enter a number
24
Number of digits in 24 = 2
Please enter a number
35790
Number of digits in 35790 = 5
Please enter a number
-1
Thank you!
```

Exercise 4-12 Divisors

Which integer between 1 and 10000 has the largest number of divisors, and how many divisors does it have? Write a program to find the answers and print out the results. It is possible that several integers in this range have the same, maximum number of divisors. Your program has to print out one of them.

Exercise 4-13 Extract Numbers

Write a Java program that takes a string containing text and nonnegative numbers from the user and prints out the numbers contained in the string in separate lines. Use nested loops.

Running example

```
Please enter your string
The year has 365 days and the day has 12 hours
Output
The numbers contained in your string are
365
12
```

Exercise 4-14 Midterm Spring 2013

The method `Math.random()` gives a real number between 0.0 and 0.9999..., and so `6*Math.random()` is between 0.0 and 5.999.... The type-cast operator, `(int)`, can be used to convert this to an integer: `(int)(6*Math.random())`.

